



# Reference Formula

Created Date : 11/27/2014 6:04:00 PM  
Last Save Date : 9/14/2016 11:43:00 AM

## 新生眼部凝霜 (With 9509 40% + 9041 20%)

EP-SC-COW-0056A\_V1

### FORMULA

Phase	Ingredient (Trade Name)	Ingredient (INCI Name)	% By Weight	
A	D.I Water	D.I Water	17.70%	
	Glycerine USP	Glycerine	5.00%	
	<b>RM 2051 Thickening Agent (Dow Corning)</b>	<b>Sodium Polyacrylate (and) Dimethicone (and) Cyclopentasiloxane (and) Trideceth-6 (and) PEG/PPG 18/18 Dimethicone</b>	<b>2.00%</b>	
		<b>9509 Silicone Elastomer Suspension (Dow Corning)</b>	<b>Dimethicone/Vinyldimethicone Crosspolymer (and) C12-14 Pareth-12</b>	<b>40.00%</b>
B	Myritol 318 RC (Cognis)	Caprylic/Capric Triglyceride	5.00%	
	<b>PMX-200 Silicone Fluid 5 cSt (Xiameter)</b>	<b>Dimethicone</b>	<b>5.00%</b>	
	<b>Shea Butter-Ultra Refined™ (HallStar)</b>	<b>Butyrospermum Parkii (Shea Butter)</b>	<b>5.00%</b>	
	<b>9041 Silicone Elastomer Blend (Dow Corning)</b>	<b>Dimethicone (and) Dimethicone Crosspolymer</b>	<b>20.00%</b>	
C	<b>Escapo (Lothar Streeck)</b>	<b>Perfume</b>	<b>0.10%</b>	
	Glydant Plus Liquid	DMDM.Hydantion & Iodopropynyl butyl carbamate	0.20%	

### PROCEDURE

1. Prepare Phase A and B separately, both heat to 40~50°C.
2. Make sure all ingredient in A and B are dissolve, add B to A under stirring.
3. Cool down to 40°C then add C under stirring.

### SPECIFICATION

APPEARANCE	: White Cream
VISCOSITY	: approx. 196,700 ± 1,000 CP (RVDV-E, T-C, 12 rpm, 3 min, 25°C)
pH	: approx. 5.52 ± 0.5 (25°C)

Recommendations contained, herein this Reference Formula, are advisory only.

4F-3, No. 100, Sec. 1, Jia Feng 11th Rd., Chupei, Hsin-Chu Hsien 30273, Taiwan, R. O. C.

TEL No. : 886-3-657-9279 FAX No. : 886-3-657-9278

Website : [www.essence-plus.com](http://www.essence-plus.com) E-MAIL : [service@essence-plus.com](mailto:service@essence-plus.com)

