



Reference Formula

Created Date : 11/22/2010 2:31:00 PM
Last Save Date : 12/8/2017 2:17:00 PM

5225C Body Cream

EP-SC-CWO-0021A_V1

FORMULA

Phase	Ingredient (Trade Name)	Ingredient (INCI Name)	% By Weight
A	5225C Formulation Aid (Dow Corning)	Cyclopentasiloxane (and) PEG/PPG-18/18 Dimethicone	5.33%
	PMX-200 Silicone Fluid 5 cSt (Xiameter)	Dimethicone	9.84%
	2503 Cosmetic Wax (Dow Corning)	Stearyl Dimethicone	7.00%
	SW-8005 C30 Resin Wax (Dow Corning)	C30-45 Alkyldimethylsilyl Polypropylsilsesquioxane	8.00%
	ERCAREL TCC V (Erca Wilmar)	Caprylic/Capric Triglyceride	3.53%
B	D.I Water	D.I Water	59.70%
	Glycerine USP	Glycerine	5.00%
	NaCl	Sodium Chloride	1.00%
C	Glydant Plus Liquid	DMDM Hydantoin (and) Iodopropynyl Butylcarbamate	0.30%
	Redberry (Lothar Streeck)	Perfume	0.30%

PROCEDURE

1. Prepare Phase A and Phase B separately and heat to 70-75°C till all the ingredients melt.
2. Add Phase B to A slowly and homogenize.
3. Cool down under agitation.
4. Add Phase C while the temperature below to 40°C.

Recommendations contained, herein this Reference Formula, are advisory only.

4F-3, No. 100, Sec. 1, Jia Feng 11th Rd., Chupei, Hsin-Chu Hsien 30273, Taiwan, R. O. C.

TEL No. : 886-3-657-9279 FAX No. : 886-3-657-9278

Website : www.essence-plus.com E-MAIL : service@essence-plus.com

