



Reference Formula

Created Date : 11/09/2018 4:32:00 PM
Last Save Date : 07/31/2019 4:53:00 PM

優格霜 EP-SC-COW-0092C_V1

FORMULA

Phase	Ingredient (Trade Name)	Ingredient (INCI Name)	% By Weight
O	ES-5373 Formulation Aid (Dow Chemical)	PEG-12 Dimethicone	2.00%
	ERCAREL ISN (Erca Wilmar)	Isononoyl isononanoate	2.00%
	PMX-0245 Cyclopentasiloxane (Dow Chemical)	Cyclopentasiloxane	7.00%
	PMX-200 Silicone Fluid 100 cSt (Dow Chemical)	Dimethicone	1.00%
W1	D.I Water	D.I Water	79.00%
	Glycerin	Glycerin	5.00%
	Eastman AQ(TM) 55S Polymer(Eastman)	Polyester-5	1.00%
W2	ACULYN™ 88 Polymer (Dow Chemical)	Acrylates/Steareth-20 Methacrylate Crosspolymer	2.00%
	ACULYN™ 22 Polymer (Dow Chemical)	Acrylates/Steareth-20 Methacrylate Copolymer	0.30%
A	TEA(99%)	Triethanolamine	0.40%
B	Glydant Plus Liquid	DMDM Hydantoin (and) Iodopropynyl Butylcarbamate	0.30%

PROCEDURE

1. Phase W1 is heated to dissolve, and phase W2 is added.
2. Add phase W1+2 to phase O to stir emulsification
3. Add phase A and B to mix evenly

Recommendations contained, herein this Reference Formula, are advisory only.

4F-3, No. 100, Sec. 1, Jia Feng 11th Rd., Chupei, Hsin-Chu Hsien 30273, Taiwan, R. O. C.
TEL No. : 886-3-657-9279 FAX No. : 886-3-657-9278

Website : www.essence-plus.com E-MAIL : service@essence-plus.com

