



Reference Formula

Sample preparation date: 5/24/21 3:33 PM

全天候美肌粉底液

W210524

FORMULA

| Phase | Ingredient (Trade Name) | Ingredient (INCI Name) | % By Weight | Function |
|-------|--|---|---------------|---------------------|
| W | D.W | Water | 54.74% | |
| | Glycerin | Glycerin | 5.00% | Moisturizer |
| | NaCl | Sodium Chloride | 0.10% | Stabilizer |
| | PUROLAN PE | Phenoxyethanol | 0.80% | Preservative |
| O | FZ-3196 Volatile Alkyl Methyl Caprylyl Methicone Siloxane Fluid¹ | | 8.00% | Emollient |
| | POW-712 | Pigment | 8.00% | Pigment |
| | FANCOL ID-CG | Isododecane | 4.50% | Emollient |
| | DOWSIL™ FA 4004 ID Silicone Acrylate¹ | Isododecane (and) Acrylates/Polytrimethyl siloxymethacrylate Copolymer | 12.50% | Film-forming Agent |
| | ES-5300 Formulation Aid¹ | Tris(trimethylsiloxy)silyl ethyl Dimethicone | 6.00% | W/O Emulsifier |
| | DOWSIL™ EP-9608 Cosmetic Powder¹ | Dimethicone Crosspolymer (and) Dimethicone | 0.36% | Skin Feel Modifiers |
| | | | | |

Supplier: 1. Dow Chemical

PROCEDURE

1. Prepare Phase W and Phase O separately.
2. Add Phase W into O under stirring.
3. Homogenize the formulation.

SPECIFICATION

| | | |
|------------|----------------------|--|
| APPEARANCE | : Brown Lotion | |
| VISCOSITY | : approx. 1708 ± 10% | (RVDV-E, Spindle RV-5, 100 rpm, 3 min, 25°C) |

Recommendations contained, herein this Reference Formula, are advisory only.

4F-3, No. 100, Sec. 1, Jia Feng 11th Rd., Chupei, Hsin-Chu Hsien 30273, Taiwan, R. O. C.

TEL No. : 886-3-657-9279 FAX No. : 886-3-657-9278

Website : www.essence-plus.com E-MAIL : service@essence-plus.com

