



# Reference Formula

Sample preparation date: 2021/07/05

## 沁潤凝滑睡眠面膜

W210705-1

### FORMULA

Phase	Ingredient (Trade Name)	Ingredient (INCI Name)	% By Weight	Function
O	<b>ACULYN™ Siltouch Rheology Modifier</b> <sup>1</sup>	<b>Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer (and) Dimethicone (and) Trideceth-6 (and) PEG/PPG -18/18 Dimethicone</b>	<b>3.00%</b>	O/W Emulsifier
	<b>ERCAREL TCC V</b> <sup>14</sup>	<b>Caprylic/Capric Triglyceride</b>	<b>3.00%</b>	Emollient
	<b>EL-9081 Silicone Elastomer Blend</b> <sup>1</sup>	<b>Dimethicone (and) Dimethicone/Vinyl Dimethicone Crosspolymer</b>	<b>1.50%</b>	Skin feel modifiers
	<b>PMX-1507 Fluid</b> <sup>1</sup>	<b>Dimethicone (and) Dimethiconol</b>	<b>1.50%</b>	Skin feel modifiers
W	EDTA-2Na	Edetate Disodium	0.10%	Chelating Agent
	Glycerin	Glycerin	3.00%	Moisturizer
	PG	Propylene Glycol	5.00%	Moisturizer
	D.I Water	D.I Water	Up to 100%	
	<b>Oxy 229 PF</b> <sup>2</sup>	<b>Aqua, Glycerin, Saccharomyces Lysate, Disodium Succinate, Phenoxyethanol, Ethylhexylglycerin, Valine, Threonine, Glutamic Acid, Glycine</b>	<b>1.00%</b>	Active
	<b>UCON™ 75-H-450</b> <sup>1</sup>	<b>PEG/PPG-17/6 Copolymer</b>	<b>1.00%</b>	Moisturizer
A	Preservative	Preservative	q.s	Preservative
	<b>Eclat</b> <sup>16</sup>	<b>Perfume 粉戀光芒 (67.3927)</b>	<b>0.10%</b>	Perfume

Supplier: 1. Dow Chemical; 2. DSM; 14. ErcaWilmar; 16. Lothar Streeck

Recommendations contained, herein this Reference Formula, are advisory only.

4F-3, No. 100, Sec. 1, Jia Feng 11th Rd., Chupei, Hsin-Chu Hsien 30273, Taiwan, R. O. C.

TEL No. : 886-3-657-9279 FAX No. : 886-3-657-9278

Website : [www.essence-plus.com](http://www.essence-plus.com) E-MAIL : [service@essence-plus.com](mailto:service@essence-plus.com)





# Reference Formula

Sample preparation date: 2021/07/05

## PROCEDURE

1. Prepare Phase O and Phase W separately.
2. Put Phase O under stirring then add Phase W.
3. Add Phase A into main tank under stirring, and homogenize until it's evenly.

## SPECIFICATION

---

APPEARANCE	: Cream	
pH	: approx. $5.74 \pm 0.5$	(25°C)
VISCOSITY	: approx. $12,220 \pm 10\%$	(RVDV-E, RV-5, 20 rpm, 3 min, 25°C)

---

Recommendations contained, herein this Reference Formula, are advisory only.

4F-3, No. 100, Sec. 1, Jia Feng 11th Rd., Chupei, Hsin-Chu Hsien 30273, Taiwan, R. O. C.

TEL No. : 886-3-657-9279 FAX No. : 886-3-657-9278

Website : [www.essence-plus.com](http://www.essence-plus.com) E-MAIL : [service@essence-plus.com](mailto:service@essence-plus.com)

