



# Reference Formula

Created Date: 2019/09/09  
Last Save Date: 6/15/20 9:36 AM

## 一見驚奇精華(9610 9%)

EP-SC-COW-0096C\_V1

### FORMULA

Phase	Ingredient (Trade Name)	Ingredient (INCI Name)	% By Weight	Function
W1	<b>ACULYN™ Siltouch Rheology Modifier<sup>1</sup></b>	<b>Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer (and) Dimethicone (and) Trideceth-6 (and) PEG/PPG -18/18 Dimethicone</b>	<b>1.50%</b>	Emulsifier
W2	<b>ACULYN Excel<sup>1</sup></b> D.I Water	<b>Acrylates Copolymer</b> D.I Water	<b>1.00%</b> 58.05%	Thickener
A	TEA (99%)	Triethanolamine	0.15%	Neutralizer
O	<b>DOWSIL™ EP-9610 Cosmetic Powder<sup>1</sup></b>	<b>Dimethicone Crosspolymer</b>	<b>6.00%</b>	Skin feel modifiers
	<b>ERCAREL TCC V<sup>14</sup></b>	<b>Caprylic/Capric Triglyceride</b>	<b>3.00%</b>	Emollient
	<b>PMX-0245 Cyclopentasiloxane<sup>1</sup></b>	<b>Cyclopentasiloxane</b>	<b>27.00%</b>	Emollient
B	Glydant Plus Liquid	DMDM Hydantoin (and) Iodopropynyl Butylcarbamate	0.30%	Preservative

### PROCEDURE

1. Add phase W2 to phase W1 to evenly disperse and add A to neutralize.
2. The O phase is uniformly dispersed.
3. Add phase O to phase W to stir until emulsified.

### SPECIFICATION

APPEARANCE : White cream

VISCOSITY : approx. 41,040 ± 10% (RVDV-E, RV5, 5rpm, 51.3%, 3 min, 25°C)

The information given in this publication is based on our current knowledge and experience and may be used at your discretion and risk.

It does not relieve you from carrying out your own precautions and tests. We do not assume any liability in connection with your product

or its use. You must comply with all applicable laws and regulations and observe all third party right.

Recommendations contained, herein this Reference Formula, are advisory only.

4F-3, No. 100, Sec. 1, Jia Feng 11th Rd., Chupei, Hsin-Chu Hsien 30273, Taiwan, R. O. C.

TEL No. : 886-3-657-9279 FAX No. : 886-3-657-9278

Website : [www.essence-plus.com](http://www.essence-plus.com) E-MAIL : [service@essence-plus.com](mailto:service@essence-plus.com)

