



Reference Formula

Created Date : 03/30/2017 12:20 PM
Last Save Date : 07/01/2019 4:49 PM

我型我塑自然造型髮蠟 EP-HC-S-0026A_V1

FORMULA

Phase	Ingredient (Trade Name)	Ingredient (INCI Name)	% By Weight	
A	Lenofier E2 (Leasun)	Glyceryl Stearate, Sorbitan Oleate, Stearic Acid, Cetearth-25, C9-15 Alkyl Phosphate	3.00%	
	FATTY ALCOHOL 1618-01 (Erca Wilmar)	Cetyl Stearyl Alcohol	2.00%	
	PMX-200 Silicone Fluid 100 cSt (Xiameter)	Dimethicone	1.50%	
	Beeswax Blend 164 (Paramelt)	Paraffin; Glyceryl palmitate/stearate, Cera alba, Stearic acid	5.00%	
	P.P	Propyl Paraben	0.10%	
	556 Cosmetic Grade Fluid (Dow Corning)	Phenyl Trimethicone	2.00%	
	Paracera™ W80 (Paramelt)	Paraffin, Cera Microcristallina	6.00%	
	Paracera™ H (Paramelt)	Cera Microcristallina	6.00%	
	B	D.I Water	D.I Water	41.42%
		Xanthan Gum	Xanthan Gum	0.50%
LS Diol (Leasun)		Methyl Propanediol	20.00%	
Glycerin		Glycerin	10.00%	
C	M.P	Methyl Paraben	0.20%	
	3901 Liquid Satin Blend (Dow Corning)	Dimethicone/Vinyl imethicone Crosspolymer	2.00%	
	Microcare MTI	Methylisothiazolinone/ Iodopropynyl Butylcarbamate	0.18%	
	Finess (Lothar Streeck)	Perfume	0.10%	

PROCEDURE

1. Mix phase A to even and heat to 93°C.
2. Mix phase B to even and heat to 93°C.
3. Homogenization machine should be soaked hot water, so as to avoid wax solidification.
Recommendations contained, herein this Reference Formula, are advisory only.

地址 : 新竹縣竹北市嘉豐十一路一段 100 號 4F-3
Address : 4F-3, No. 100, Sec. 1, Jia Feng 11th Road, Chupei, Hsin-Chu Hsien, Taiwan, R.O.C.
TEL No. : 886-3-657-9279 FAX No. : 886-3-657-9278
Website : www.essence-plus.com E-MAIL : service@essence-plus.com





Reference Formula

Created Date : 03/30/2017 12:20 PM
Last Save Date : 07/01/2019 4:49 PM

4. Add Phase A to phase B and homogenize.
5. Add phase D ingredients.

SPECIFICATION

APPEARANCE	: Milky Cream	
VISCOSITY	: approx. 25,800 ± 1,000 CP	(RVDV-E, RV6, 20 rpm, 3 min, 25°C)

Recommendations contained , herein this Reference Formula, are advisory only.

地址 : 新竹縣竹北市嘉豐十一路一段 100 號 4F-3
Address : 4F-3, No. 100, Sec. 1, Jia Feng 11th Road, Chupei, Hsin-Chu Hsien, Taiwan, R.O.C.
TEL No. : 886-3-657-9279 FAX No. : 886-3-657-9278
Website : www.essence-plus.com E-MAIL : service@essence-plus.com

