



Reference Formula

Created Date: 03/11/21 2:31 PM
Last Save Date: 6/22/21 2:31 PM

9041 Wax Primer 絲滑底妝

EP-CC-F-0077A_V1

FORMULA

Phase	Ingredient (Trade Name)	Ingredient (INCI Name)	% By Weight	Function
A	9041 Silicone Elastomer Blend ¹	Dimethicone (and) Dimethicone Crosspolymer	20.00%	Thickener(Oily) / Skin feel modifiers
		Paraffin, Glyceryl palmitate/stearate, Cera alba, Stearic acid	5.00%	Thickener(Oily)
	PMX-1401 Fluid ¹	Cyclopentasiloxane (and) Cyclotetrasiloxane (and) Dimethiconol	3.00%	Skin feel modifiers
	PMX-200 Silicone Fluid 5 cSt ¹	Dimethicone	30.00%	Emollient
	ERCAREL TCC V ¹⁴	Caprylic/Capric Triglyceride	10.00%	Emollient
	9701 Cosmetic Powder ¹	Dimethicone Crosspolymer (and) Silica	10.00%	Thickener(Oily)
	PMX-0245 Cyclopentasiloxane ¹	Cyclopentasiloxane	21.75%	Emollient
B	Pigment	Mica (and) Titanium Dioxide (and) Red Iron Oxide	0.05%	Pigment
		dl- α -Tocopheryl Acetate ²	0.10%	Active
	Eclat ¹⁶	Tocopheryl Acetate Fragrance	0.10%	Fragrance

Supplier: 1. Dow Chemical ; 2. DSM ; 11. Paramelt ; 14. ErcaWilmar ; 16. Lothar Streeck

PROCEDURE

1. Melt Bee wax and TCC together under 70~80 °C.
2. Mix Phase A to uniform when mixture in step 1. is cool down.
3. Add Phase B into A one by one, and mix until it's uniform.

SPECIFICATION

APPEARANCE : Pink Oil Gel

Recommendations contained, herein this Reference Formula, are advisory only.

4F-3, No. 100, Sec. 1, Jia Feng 11th Rd., Chupei, Hsin-Chu Hsien 30273, Taiwan, R. O. C.

TEL No. : 886-3-657-9279 FAX No. : 886-3-657-9278

Website : www.essence-plus.com E-MAIL : service@essence-plus.com





Reference Formula

Created Date: 03/11/21 2:31 PM
Last Save Date: 6/22/21 2:31 PM

Recommendations contained, herein this Reference Formula, are advisory only.

4F-3, No. 100, Sec. 1, Jia Feng 11th Rd., Chupei, Hsin-Chu Hsien 30273, Taiwan, R. O. C.

TEL No. : 886-3-657-9279 FAX No. : 886-3-657-9278

Website : www.essence-plus.com E-MAIL : service@essence-plus.com

