



Reference Formula

Created Date : 9/23/2016 12:35:00 PM
Last Save Date : 10/2/2016 11:27:00 AM

拉絲粉底液 (PMX-200/5 8%)

EP-CC-F-0051A_V1

FORMULA

Phase	Ingredient (Trade Name)	Ingredient (INCI Name)	% By Weight
A	ES-5612 Formulation Aid (Dow Corning)	PEG-10 Dimethicone	4.00%
	3901 Liquid Satin Blend (Dow Corning)	Dimethicone (and) Dimethicone/Vinyl Dimethicone Crosspolymer	3.00%
	PMX-200 Silicone Fluid 5 cSt (Xiameter)	Dimethicone	8.00%
	FZ-3196 Volatile Alkyl Methyl Siloxane Fluid (Dow Corning)	Caprylyl Methicone	2.00%
B	PMX-0245 Cyclopentasiloxane (Xiameter)	Cyclopentasiloxane	3.00%
	556 Cosmetic Grade Fluid (Dow Corning)	Phenyl Trimethicone	4.00%
C	Pigment (POW-711 采豐)	Pigment	10.00%
	LS Diol (Leasun)	Methyl Propanediol	7.50%
	Glycerine	Glycerine	7.50%
	NaCl	Sodium Chloride	1.00%
	D.I Water	D.I Water	49.60%
D	Glydant Plus Liquid	DMDM Hydantoin (and) Iodopropynyl Butylcarbamate	0.30%
	Rose (Lothar Streeck)	Perfume	0.10%

PROCEDURE

1. Prepare Phase A , B, C, D separately.
2. Add B to A under stirring.
3. Slowly add Phase C into A+B under stirring.
4. Finally add Phase D into the main tank under stirring.

Recommendations contained, herein this Reference Formula, are advisory only.

4F-3, No. 100, Sec. 1, Jia Feng 11th Rd., Chupei, Hsin-Chu Hsien 30273, Taiwan, R. O. C.
TEL No. : 886-3-657-9279 FAX No. : 886-3-657-9278

Website : www.essence-plus.com E-MAIL : service@essence-plus.com

