



Reference Formula

Sample preparation date: 2022/02/07

唇頰兩用液

Q220207-1

FORMULA

Phase	Ingredient (Trade Name)	Ingredient (INCI Name)	% By Weight	Function
O1	ES-5612 Formulation Aid¹	PEG-10 Dimethicone	2.00%	Emulsifier
	ES-5300 Formulation Aid¹	Lauryl PEG-10	0.50%	Emulsifier
	FA 4001 CM Silicone Acrylate¹	Tris(trimethylsiloxy)silylethyl Dimethicone	16.67%	Film-forming
	PMX-0245	Cyclopentasiloxane (and) Acrylates/Polytrimethylsilyloxymethacrylate Copolymer	10.00%	Emollient
	Cyclopentasiloxane¹	Cyclopentasiloxane	2.00%	Skin feel modifiers
	DOWSIL™ EP-9608	Dimethicone	2.00%	Skin feel modifiers
	Cosmetic Powder¹	Crosspolymer (and) Dimethicone	0.20%	Antioxidant
	dl-α-Tocopheryl Acetate²	Tocopheryl Acetate	0.20%	Antioxidant
O2	FZ-3196 Volatile Alkyl Methyl Caprylyl Methicone Siloxane Fluid¹	Talc	10.00%	Emollient
	Talc	Talc	10.00%	Skin feel modifiers
	Hombitan AC 360	Titanium Dioxide, Alumina, Triethoxycaprylyl silane	4.00%	Pigment
	Red #36	Red #36	1.30%	Pigment
	Yellow No.5	Yellow No.5	0.70%	Pigment
	ES-5700 Formulation Aid¹	Cetyl Diglyceryl Tris(trimethylsiloxy)silylethyl Dimethicone	2.00%	Dispersant
		ERCAREL AB¹⁴	C12-C15 Alkyl Benzoate	2.00%
	BENTONE 38	Disteardimonium Hectorite	1.00%	Stabilizer

Recommendations contained, herein this Reference Formula, are advisory only.

4F-3, No. 100, Sec. 1, Jia Feng 11th Rd., Chupei, Hsin-Chu Hsien 30273, Taiwan, R. O. C.

TEL No. : 886-3-657-9279 FAX No. : 886-3-657-9278

Website : www.essence-plus.com E-MAIL : service@essence-plus.com





Reference Formula

Sample preparation date: 2022/02/07

W	UCON 75-H-450¹	PEG/PPG-17/6 Copolymer	3.00%	Moisturizer
	Sodium citrate	Sodium citrate	0.20%	Co-Emulsifier
	NaCl	Sodium chloride	0.50%	Co-Emulsifier
	D.I Water	D.I Water	Up to 100%	
A	Preservative	Preservative	q.s	Preservative

Suppliers: 1. Dow Chemical; 2. DSM; 14. ErcaWilmar

PROCEDURE

1. Mix O1, O2 and O3 in order.
2. Add phase W to phase O under stirring until emulsified.
3. Add phases A to the main tank and mix well.

* Disperse the O3 phase powder in the powdering machine and then add oil to the grin

SPECIFICATION

APPEARANCE	: pink lotion
VISCOSITY	: approx. 3,250 ± 10% (48.3%) (RVDV-E, RV5, 60 rpm, 3 min, 25°C)

Recommendations contained, herein this Reference Formula, are advisory only.

4F-3, No. 100, Sec. 1, Jia Feng 11th Rd., Chupei, Hsin-Chu Hsien 30273, Taiwan, R. O. C.

TEL No. : 886-3-657-9279 FAX No. : 886-3-657-9278

Website : www.essence-plus.com E-MAIL : service@essence-plus.com

