



Reference Formula

Created Date : 7/15/22 10:01:00 AM
Last Save Date : 7/15/22 10:01:00 AM

QQ Foundation

EP-CC-F-0029A_V1

FORMULA

Phase	Ingredient (Trade Name)	Ingredient (INCI Name)	% By Weight
A	5562 Carbinol Fluid (Dow Corning)	Bis-Hydroxyethoxypropyl Dimethicone	1.50%
	AC 630	TiO ₂	2.00%
	Pigment	Pigment	1.00%
B	Olivem 900	Sorbitan Oliviate	0.50%
	5200 Formulation Aid (Dow Corning)	Lauryl PEG/PPG-18/18 Methicone	3.00%
	FZ-3196 Volatile Alkyl Methyl Siloxane Fluid (Dow Corning)	Caprylyl Methicone	3.00%
	9045 Silicone Elastomer Blend (Dow Corning)	Cyclopentasiloxane and Dimethicone Crosspolymer	15.00%
C	D.I Water	D.I Water	56.50%
	NaCl	Sodium Chloride	1.00%
	Glycerine USP	Glycerine	15.00%
D	Viscolam AT 100P (Lamberti)	Sodium Polyacryloyldimethyl Taurate (and) Hydrogenated Polydecene (and) Trideceth-10	1.00%
	Glydant Plus Liquid	DMDM Hydantoin (and) Iodopropynyl Butylcarbamate	0.30%
	Black Pearls (Lothar Streeck)	Perfume	0.20%

PROCEDURE

1. To disperse Phase A under stirring.
2. Add Phase A to Phase B and heat to 75-80°C also Phase C.
3. Add Phase C to Phase A + B slowly under stirring.
4. Add Phase D to Phase A+B+C under stirring when 50-45°C.

The information given in this publication is based on our current knowledge and experience and maybe used at your discretion and risk. It does not relieve you from carrying out your own precautions and tests. We do not assume any liability in connection with your product or its use. You must comply with all applicable laws and regulations and observe all third party rights.
Recommendations contained, herein this Reference Formula, are advisory only.

4F-3, No. 100, Sec. 1, Jia Feng 11th Rd., Chupei, Hsin-Chu Hsien 30273, Taiwan, R. O. C.
TEL No. : 886-3-657-9279 FAX No. : 886-3-657-9278

Website : www.essence-plus.com E-MAIL : service@essence-plus.com

